

Play value

Tone is not just a noise but a sound which the ear perceives as pure and of constant pitch. Each material has its own sound pattern. Metal bars create a particularly high-quality sound if bent into a triangle, and make especially pure vibrations audible. Familiar physical properties are transformed into amazingly simple aspects of life. An increase in the triangle size increases the quantity of upper vibrations clearly and noticeably. It is a learning experience for children and adults and this knowledge reinforces their experiences.

Recommended for

- Kindergarten children
- School children
- Young people
- Adults
- Older people
- Public play areas without supervision, such as playgrounds, parks or similar

Barrier-free

- Independent play






Special version made of stainless steel


Triangles

Acoustic effect	medium
Vandalism	slightly vulnerable
Supervision	not necessary
Explanation Board	not necessary
Installation	indoors and outdoors
Safety check (DIN EN 1176)	not necessary
Installation in concrete	not necessary



Order No. 10.52000
Triangles

Safety distance 
 Device dimensions 
 Functional distance 



Scale 1:50

Technical information

Frame made of oak

Core-free

Sawn-timbers core-free, thus decreasing occurrences of cracking and undesired changes in shape



Ground anchor

All parts used for anchoring to the ground are made of hot-dip galvanised steel or stainless steel



For more detailed explanation of the quality characteristics see price list.

Wooden joints in traditional carpentry quality

Special hardened stainless steel triangles

Beater and cables made of stainless steel

Dimensions

(small deviations possible)

Height	2.60 m
Width	3.00 m
Depth	0.16 m
Weight	100 kg

Components

- 1 Support frame with steel feet,
 8 triangles with 5 different tones
 and 2 beaters

Trademark

30 2005 500 000 Germany
 40-0682207 South Korea

Explanation board on request

Installation information

Recommended space
 5.00 x 2.50 m

Foundations
 2 items 60 x 40 x 45 cm
 Excavation depth 65 cm

Attention:

**Exact measurements may vary;
 for all installation dimensions refer
 to current assembly instructions.**

Technical changes reserved.



10.52000