Play value

This well designed carousel offers place for many children at the same time. When turning around slowly, it is possible to sit down on the lower tube and lean against the upper one for having a relaxed chat. When the carousel gets turned around by the turning wheel in the middle, the speed can get higher and children hold on to the tubes. This type of carousel is also suitable as a meeting point for young people.







Carousel with Seating Ring

Fundamental characteristics

- Agreeable design
- Pleasant wooden floor
- Different options for sitting and holding on due to the shape of the tubes and the overall design; experience of acceleration and slowing down by moving one's centre of gravity
- Incentive for playing: shape of handrails, turning wheel
- Movement: turning, moving one's centre of gravity


Recommended for

- School children
- Young people
- Supervised play areas, such as kindergartens, schools, after-school programmes or similar
- Public play areas without supervision, such as playgrounds, parks or similar









Safety check according to DIN EN 1176

Components

- 1 Carousel
- 1 Foundation frame
- 1 Bearing with handwheel

Installation information

Surfacing requirements surfacing required as for critical fall height of ≤ 1.00 m (please refer to price list for more detailed information)

Foundations
1 item 80 x 80 x 70 cm
Excavation depth 80 cm

Attention:

Exact measurements may vary, for all installation dimensions refer to current installation instructions. Technical changes reserved.

Technical information

Equipment made of stainless steel, glass bead blasted

Core-free

Sawn-timbers core-free, thus decreasing occurrences of cracking and undesired changes in shape



Ground anchor

All parts used for anchoring to the ground are made of hot-dip galvanised steel or stainless steel



Roller bearings

High-quality roller bearings made of chrome steel or stainless steel for rotating elements, easy to maintain and exchange, sealed



For more detailed explanation of the quality characteristics see price list.

Rotating floor made of 35 mm planks of non-impregnated mountain larch

Expanding and shrinking of the planks is reduced by relief cuts applied to the underside

Seating rings Ø 60 mm All other tubes Ø 33.7 mm

Sturdy, welded substructure

Foundation frame made of steel

Dimensions

(small deviations possible)

Height	0.85 m
Diameter on top	2.35 m
Diameter of the floor	1.80 m
Weight	250 kg

